

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1148	(function or expression) same (variable or parameter) same node and ((depend \$9) same (chain or relationship or map or mapping)) and @py> "2005"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/12/08 22:23
L2	476	(metadata or meta-data or meta adj data or ontology) with schema same (transform\$6 or conver\$7)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/12/08 22:23
L3	318	dependency adj chain	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/12/08 22:23
L4	599	(mapping or relation\$5) same (different or distinct) with (ontolog\$4 or dictionar\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/12/08 22:23
L5	139	(price same cost) and (ontolog\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/12/08 22:24
L6	99	(price with cost) and (ontolog\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/12/08 22:24
L7	23	(price with cost) same (ontolog\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/12/08 22:24
L8	24	(price same cost) same (ontolog\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/12/08 22:24

L9	420	(price and cost) and (ontolog\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/12/08 22:24
L10	1022	((((price or cost) with item) and ((price or cost) with product)) same (relat\$9 or map or mapping)) and (price and cost) and table	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/12/08 22:25
L11	190	((((price or cost) with item) and ((price or cost) with product)) same (relat\$9 or map or mapping)) same table and (price and cost)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/12/08 22:25
L12	18	((((price or cost) with item) and ((price or cost) with product)) same (relat\$9 or map or mapping)) and (price and cost) and table and ontolog\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/12/08 22:25
L13	1	parameter with path and parampath	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/12/08 22:26
L14	1	parampath	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/12/08 22:26
L15	730	(enable or disable) with (operation or activit\$4) same (sensitive or private or personal) with (data or information) and @py> "2005"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/12/08 22:26

L16	82	(blank adj node)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/12/08 22:26
L17	6	(blank adj node) same (associat\$4 or aggregat\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/12/08 22:26
L18	54	"rdf:type"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/12/08 22:26
L19	17	(blank adj node) and rdf	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/12/08 22:27
L20	12	(blank adj node) and owl	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/12/08 22:27
L21	170	rdf with graph	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/12/08 22:27
L22	47	rdf adj graph	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/12/08 22:27
L23	138	rdf adj model	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/12/08 22:27
L24	666	(database adj management adj system).ti.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/12/08 22:27
L25	485	(meta-data or metadata or meta adj data) adj (expression or function or equation or relation or relationship)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/12/08 22:28

12/ 8/ 2008 10:29:03 PM

C:\Documents and Settings\msomers\My Documents\EAST\Workspaces

\ app\_10\_797266.w sp